



Applications:
thermoplastic materials
thermosetting materials

Assembly:
ultrasonic, heat, overmoulding,
overmoulding.



code	metric thread	external diameter	total length	hole diameter
	d1	d2	L	d3
851 0030.80	M3	4,6	3	4
851 0040.80	M4	6,3	4	5,6
851 0050.80	M5	7,0	5	6,4
851 0060.80	M6	8,6	6	8
851 0080.80	M8	10,2	8	9,6



code	metric thread	external diameter	total length	hole diameter
	d1	d2	L	d3
603/Cc	M3	4,6	4,5	4
604/Cc	M4	6,3	6	5,6
605/Cc	M5	7,0	7,5	6,4
606/Cc	M6	8,6	9	8
608/Cc	M8	10,2	12	9,6